



Vision • Commitment • Pride

# FOREST STEWARDSHIP MANAGEMENT PLAN

Prepared For:  
Amite County Schools

Prepared By:  
Travis W. Stewart  
Miss. Forestry Commission

Time Period Covered by This Plan:  
2012 - 2021

Date Plan Prepared:  
2012-01-23

Plan Type:  
Stewardship / Stewardship

This plan was developed in accordance with the rules of the Stewardship program.

**Property Name: 1604N03E**

MISSISSIPPI FOREST STEWARDSHIP PROGRAM

## TABLE OF CONTENTS

|  |    |
|--|----|
| LANDOWNER INFORMATION .....            | 3  |
| FORESTER INFORMATION .....             | 3  |
| INTRODUCTION .....                     | 3  |
| DISCLAIMER .....                       | 3  |
| OBJECTIVES .....                       | 4  |
| PROPERTY DESCRIPTION .....             | 4  |
| GENERAL PROPERTY RECOMMENDATIONS ..... | 5  |
| SOIL TYPES .....                       | 6  |
| STRATA .....                           | 7  |
| OTHER PLAN ACTIVITIES .....            | 13 |
| STRATA ACTIVITY SCHEDULE .....         | 14 |

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

**LANDOWNER INFORMATION**

Name: Amite County Schools  
Mailing Address: P. O. Box 378  
City, State, Zip: Liberty, MS 39645  
Country: United States of America  
Contact Numbers: Home Number:  
Office Number: 601-657-4361  
Fax Number:  
  
E-mail Address:  
Social Security Number (optional):

**FORESTER INFORMATION**

Name: Travis W. Stewart , Forester  
Forester Number: 02367  
Organization: Miss. Forestry Commission  
Street Address: P. O. Box 242  
City, State, Zip: Liberty, MS 39645  
Contact Numbers: Office Number: 601-657-8754  
Fax Number: 601-657-9251  
  
E-mail Address: tstewart@mfc.state.ms.us

**PROPERTY LOCATION**

|          |       |              |     |           |        |            |       |
|----------|-------|--------------|-----|-----------|--------|------------|-------|
| County:  | Amite | Total Acres: | 675 | Latitude: | -90.91 | Longitude: | 31.31 |
| Section: | 16    | Township:    | 4N  | Range:    | 3E     |            |       |

**INTRODUCTION**

This Forest Stewardship Management Plan will serve as a guide for accomplishing the goals and objectives for your property. In addition to addressing your specific goals and objectives, this plan includes recommendations for maintaining soil and water quality and protecting your forest from insects, disease, and wildfire. Recommendations are based on observation and assessment of the site.

**DISCLAIMER**

This information was derived from a small sampling of forest resources. It reflects a statistical estimation that is only intended to be accurate enough for the purposes of making decisions for the short-term management of these resources. These estimations are temporally static. Events and circumstances may occur within the survey area that will physically alter the forest resources and therefore will not be relected in this plan.

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

## **OBJECTIVES**

### *Timber Production*

The goal is to produce high quality sawtimber. This will be accomplished through reforestation and timber stand improvement practices such as herbicide applications, prescribed burning, thinning at specified intervals, and other silvicultural practices. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

### *Wildlife Management - General*

The goal is to provide a diversity of habitats suitable for a variety of game and non-game wildlife species. Habitat management will focus on developing a variety of food, cover, water, and space. This will be accomplished by establishing and maintaining access roads and firelanes, providing openings within the forest, and the management of trees located within the Streamside Management Zone

## **PROPERTY DESCRIPTION**

### *General Property Information*

The section is approximately 12 miles northwest of Liberty on the Oxford-Meadville Road and contains 675 acres with 668 acres being forest acres.

### *Water Resources*

No perennial water resources were identified during a reconnaissance of the property. However, intermittent streams and drains identified will be managed in accordance with Mississippi's Best Management Practices.

### *Timber Production*

The goal is to maximize the production of high quality timber. This will be accomplished through the application of timely thinning and other silvicultural practices designed to enhance timber quality and growth. Forestry Best Management Practices will be implemented to prevent erosion and protect water quality.

### *Threatened and Endangered Species*

No threatened and endangered species were identified during the reconnaissance and evaluation of your property.

### *Interaction with Surrounding Property*

Prescribed practices should be carried out in a manner that will minimize adverse impacts on surrounding properties. Consideration should be given to potential air, water, visual, and other impacts. In addition, practices carried out should have positive effects on the surrounding community such as improved wildlife habitat and soil stabilization.

### *Soils General*

Soils were evaluated on the property to determine the suitability of the site for the proposed activities. Forest practices were planned so as to minimize erosion or other adverse effects on the soil. The following soils are identified for this property:  
Susquehanna, Smithdale, Ariel, Providence

# MISSISSIPPI FORESTRY COMMISSION

## FOREST STEWARDSHIP MANAGEMENT PLAN

### *Archeological or Cultural Resources*

These areas can range from churches, old cemeteries or Indian mounds to old home sites or other areas of historical significance.

No Archeological or Cultural resources were identified during a reconnaissance of the property. However, if Archeological or Cultural resources are discovered anytime on the property special managements measures will be applied immediately in order preserve these sensitive areas.

## GENERAL PROPERTY RECOMMENDATIONS

### *Forest Protection*

A healthy vigorously growing stand is the best defense to an attack from a variety of forest insects, plants and pathogens.

#### Insects and Diseases

Trees are subject to attack from insects and diseases. Different insects and diseases affect trees according to the age, species, and condition of the trees. Planted stands of pines and pure stands of hardwoods are particularly susceptible to attack. Since there are many different insects and diseases, no attempt will be made here to explain all of them. The property should be inspected at least annually for possible signs of insect and disease activity. Some things to look for are:

- Unseasonable leaf fall
- Discoloration of leaves or needles
- Pitch pockets on pine trees
- Heavy defoliation of hardwood leaves
- Groups of three or more dying trees within a stand

This list does not cover all instances of insect or disease attacks. If anything unusual is noticed, report it to a forester. In most cases, insect and disease problems can be controlled if discovered early.

#### Fire Protection

Your forest should be protected from wildfire at all times. The best way to protect your investment is by establishing and maintaining firebreaks around the property. Guidelines for establishment and maintenance of firebreaks may be found in Mississippi Forestry Commission publication #107, *Mississippi's Best Management Practices*.

# MISSISSIPPI FORESTRY COMMISSION

## FOREST STEWARDSHIP MANAGEMENT PLAN

### Grazing

Tree seedlings should be protected from grazing until such time as the terminal bud of the sapling is beyond reach of livestock. Domestic livestock should be denied access to the tree planting area.

### Boundary Lines

It is the responsibility of the landowner to ensure that all property lines and boundaries designating areas to receive forestry work are clearly identified and visible to all contractors.

**Note:** Some forest practices may cause temporary adverse environmental or aesthetic impacts. These practices will only cause short-term adverse impacts where they are installed. Special efforts will be made to minimize adverse effects when carrying out any of the practices. Examples include: site preparation, planting, prescribed fires, firebreak installation and maintenance, road installation and maintenance, pesticide applications and timber harvesting.

### *Wildlife Management General*

The goal is to provide a diversity of habitats suited for a variety of game and non-game wildlife species. Habitat management will focus on providing a variety of food, cover, water, and space. This will be accomplished, in part, by establishing and maintaining access roads and firelanes, providing openings within the forest, and leaving mast producing and den trees.

### *Timber Management*

Timber management goals for this property are to manage timber resources in such a manner as to maximize timber production throughout the life of the stand.

## SOIL TYPES

### *Susquehanna*

The Susquehanna component makes up 43 percent of the map unit. Slopes are 8 to 17 percent. This component is on coastal plains. The parent material consists of clayey marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 6e. This soil does not meet hydric criteria. The Smithdale component makes up 31 percent of the map unit. Slopes are 8 to 30 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 7e. This soil does not meet hydric criteria.

*Smithdale*

The Smithdale component makes up 90 percent of the map unit. Slopes are 12 to 35 percent. This component is on hillslopes. The parent material consists of loamy fluviomarine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 7e. This soil does not meet hydric criteria. Loblolly Site Index = 86. Longleaf Site Index = 69. Slash Site Index = 85.

*Ariel*

The Ariel component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on flood plains. The parent material consists of silty alluvium deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is occasionally flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during January, February, March, April. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. Loblolly Site Index = 95.

*Providence*

The Providence component makes up 90 percent of the map unit. Slopes are 2 to 5 percent. This component is on uplands. The parent material consists of silty loess over sandy marine deposits. Depth to a root restrictive layer, fragipan, is 18 to 38 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 18 inches during January, February, March. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. Loblolly Site Index = 87. Longleaf Site Index = 73.

## **STRATA**

*Strata 3 - Stands 3, 4, 6, 10, 17, 19, 2*

Stand Description

131.03 Acres

Stands 3 (35.24 ac), 4 (12.95 ac), 6 (3.23 ac), 10 (21.86 ac), 17 (42.95 ac), 19 (7.63 ac), 2 (7.17 ac)

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

This strata consists of mixed pine and hardwood sawtimber. The understory consists of hardwood underbrush about 8 feet high. The strata is estimated to be approximately 69 years old with an average of 150 trees per acre.

**Strata Recommendations**

This strata will be maintained until the final harvest planned for 2013. The strata will then be chemically site prepped and planted with 2nd generation loblolly pines.

**Activity Recommendations**

**Harvest**

This strata will be final harvested in 2013.

**Site Preparation**

In 2014, an aerial application of herbicide will be applied following the harvest. The type of chemical and rates of application will be determined following the timber harvest.

**Regeneration**

In 2014, this strata will be regenerated with genetically improved loblolly pine seedlings. Containerized seedlings will be used if available and will be planted on a 8 x 10 spacing.

*Strata 4 - Stands 24, 25, 26, 27, 28*

**Stand Description**

97.92 Acres

Stands 24 (29.58 ac), 25 (5.11 ac), 26 (53.92 ac), 27 (7.26 ac), 28 (2.05 ac)

This strata consists of mixed pine and hardwood sawtimber. The understory consists of hardwood underbrush about 8 feet high. The strata is estimated to be approximately 69 years old with an average of 150 trees per acre.

**Strata Recommendations**

This strata will be maintained until the final harvest planned for 2019. The strata will then be chemically site prepped and planted with 2nd generation loblolly pines.

**Activity Recommendations**

**Harvest**

This strata will be final harvested in 2019.



**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

**Site Preparation**

In 2020, an aerial application of herbicide will be applied following the harvest. The type of chemical and rates of application will be determined following the timber harvest.

**Regeneration**

In 2020, this strata will be regenerated with genetically improved loblolly pine seedlings. Containerized seedlings will be used if available and will be planted on a 8 x 10 spacing.

*Strata 5 - Stands 7, 21, 22*

**Stand Description**

31.63 Acres

Stands 7 (24.11 ac), 21 (2.67 ac), 22 (4.85 ac)

This strata consist of sub-merchantable pine plantation. This plantation was planted in January/February of 1999. There are approximately 400 trees per acre in these plantations. These stands are well drained, and they could be logged 8 to 10 months of the year. Accessibility to the stand is good.

**Stand Recommendations**

A first thinning is scheduled in 2015. Every fourth row will be removed with thinning to take place in the remaining rows. It will focus on removing poor quality, diseased, or poor formed trees. Residual stocking will be 70 square feet per acre.

A prescribed burn can be implemented to improve wildlife browse, reduce hardwood brush, and reduce wildfire danger. An understory of hardwood saplings and privet hedge could become a problem in this stand. This is a problem that would diminish the quality of forage available for wildlife, as well as, diminishing the quality of wildlife habitat and forest health. In the future, the stand may need to be chemically sprayed to control such species, or a prescribed burn could be implemented. Optimally both practices could be used. If the combination is used, the burn should be implemented on a 2 to 3 years rotation after the spraying is completed. This will restore a more healthy wildlife habitat and forest. The prescribed burn will help control the unwanted understory vegetation. The burn will also allow more sunlight to reach the ground, spurring growth of new forage for wildlife species. All roads and firelanes should be maintained annually, and the stand should be grown to a 35 year rotation.

**Activity Recommendations**

**Harvest**

A first thinning is scheduled in 2015. Every fourth row will be removed with thinning to take place in the remaining rows. It will focus on removing poor quality, diseased, or poor formed trees. Residual stocking will be 70 square feet per acre.

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

*Strata 6 - Stands 5, 12*

Stand Description

91.71 Acres

Stands 5 (62.16 ac), 12 (29.55 ac)

This strata is comprised of a pulpwood pine plantation that was planted in 1990. The strata has an average of 400 trees per acre.

Stand Recommendations

A first thinning is scheduled in 2012. Every fourth row will be removed with thinning to take place in the remaining rows. It will focus on removing poor quality, diseased, or poor formed trees. Residual stocking will be 70 square feet per acre. There is a second thinning scheduled for 2019 that will focus on removing poor quality, diseased, or poor formed trees.

A prescribed burn can be implemented to improve wildlife browse, reduce hardwood brush, and reduce wildfire danger. An understory of hardwood saplings and privet hedge could become a problem in this stand. This is a problem that would diminish the quality of forage available for wildlife, as well as, diminishing the quality of wildlife habitat and forest health. In the future, the stand may need to be chemically sprayed to control such species, or a prescribed burn could be implemented. Optimally both practices could be used. If the combination is used, the burn should be implemented on a 2 to 3 years rotation after the spraying is completed. This will restore a more healthy wildlife habitat and forest. The prescribed burn will help control the unwanted understory vegetation. The burn will also allow more sunlight to reach the ground, spurring growth of new forage for wildlife species. All roads and firelanes should be maintained annually, and the stand should be grown to a 35 year rotation.

Activity Recommendations

Harvest

A first thinning is scheduled in 2012. Every fourth row will be removed with thinning to take place in the remaining rows. It will focus on removing poor quality, diseased, or poor formed trees. Residual stocking will be 70 square feet per acre.

Harvest

A second thinning is scheduled in 2019. Thinning will focus on removing poor quality, diseased, or poor formed trees. Residual stocking will be 70 square feet per acre.

*Strata 7 - Stands 31, 33, 34, 1*

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

**Stand Description**

114.76 Acres

Stands 31 (2.99 ac), 33 (5.75 ac), 34 (50.58 ac), 1 (55.44 ac)

This strata consists of mixed pine and hardwood sawtimber. The understory consists of hardwood underbrush about 8 feet high. The strata is estimated to be approximately 59 years old with an average of 150 trees per acre.

**Strata Recommendations**

There are no harvest activities for this strata for the duration of this management plan. This strata will be maintained and continue to follow Mississippi's Best Management Practices.

*Strata 8 - Stands 11, 13, 14, 15, 16, 20, 30*

**Stand Description**

32.37 Acres

Stands 11 (2.52 ac), 13 (3.46 ac), 14 (6.9 ac), 15 (10.19 ac), 16 (2.34 ac), 20 (3.72 ac), 30 (3.24 ac)

This strata consist of sub-merchantable pine plantation. This plantation was planted in January/February of 1996. There are approximately 400 trees per acre in these plantations. These stands are well drained, and they could be logged 8 to 10 months of the year. Accessibility to the stand is good.

**Stand Recommendations**

A first thinning is scheduled in 2015. Every fourth row will be removed with thinning to take place in the remaining rows. It will focus on removing poor quality, diseased, or poor formed trees. Residual stocking will be 70 square feet per acre.

A prescribed burn can be implemented to improve wildlife browse, reduce hardwood brush, and reduce wildfire danger. An understory of hardwood saplings and privet hedge could become a problem in this stand. This is a problem that would diminish the quality of forage available for wildlife, as well as, diminishing the quality of wildlife habitat and forest health. In the future, the stand may need to be chemically sprayed to control such species, or a prescribed burn could be implemented. Optimally both practices could be used. If the combination is used, the burn should be implemented on a 2 to 3 years rotation after the spraying is completed. This will restore a more healthy wildlife habitat and forest. The prescribed burn will help control the unwanted understory vegetation. The burn will also allow more sunlight to reach the ground, spurring growth of new forage for wildlife species. All roads and firelanes should be maintained annually, and the stand should be grown to a 35 year rotation.

**Activity Recommendations**

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

**Harvest**

A first thinning is scheduled in 2015. Every fourth row will be removed with thinning to take place in the remaining rows. It will focus on removing poor quality, diseased, or poor formed trees. Residual stocking will be 70 square feet per acre.

*Strata 9 - Stands 29, 32, 35*

**Stand Description**

91.72 Acres

Stands 29 (7.98 ac), 32 (12.33 ac), 35 (71.41 ac)

This strata consists of mixed pine and hardwood sawtimber. The understory consists of hardwood underbrush about 8 feet high. The strata is estimated to be approximately 60 years old with an average of 180 trees per acre.

**Strata Recommendations**

This strata will be maintained until the final harvest planned for 2015. The strata will then be chemically site prepped and planted with 2nd generation loblolly pines.

**Activity Recommendations**

**Harvest**

This strata will be final harvested in 2015.

**Site Preparation**

In 2016, an aerial application of herbicide will be applied following the harvest. The type of chemical and rates of application will be determined following the timber harvest.

**Regeneration**

In 2016, this strata will be regenerated with genetically improved loblolly pine seedlings. Containerized seedlings will be used if available and will be planted on a 8 x 10 spacing.

*Strata 10 - Stand 23*

**Stand Description**

76.38 Acres

Stands 23 (76.38 ac)

**MISSISSIPPI FORESTRY COMMISSION  
FOREST STEWARDSHIP MANAGEMENT PLAN**

This strata consists of mixed pine and hardwood sawtimber. The understory consists of hardwood underbrush about 8 feet high. The strata is estimated to be approximately 69 years old with an average of 160 trees per acre.

**Strata Recommendations**

There are no harvest activities for this strata for the duration of this management plan. This strata will be maintained and continue to follow Mississippi's Best Management Practices.

**OTHER PLAN ACTIVITIES**

*Boundary Lines*

**Line Description**

The boundary lines are being established and maintained to protect school board property from trespass.

**Line Recommendations**

Once established, the boundary lines will need to be maintained on a 5 to 6 year rotation. The south half of the east line will be surveyed in 2012 and repainted in 2017. Some boundary lines need to be resurveyed when an active timber sale is planned on that property line.

**Activity Recommendations**


Routine inspections and general maintenance of the roads, Firelanes, and boundary lines will ensure overall appearance and aesthetics of the property.

The south half of the east line will be surveyed in 2012 and repainted in 2017.



# Amite County Schools

S16, 4N-3E  
2011 to 2021  
675 Acres +/-








# Amite County Schools

S16, 4N-3E  
2011 to 2021  
675 Acres +/-





# AMITE COUNTY SCHOOLS S16, 4N-3E




## Property



## Category 1: Stands

- Clear Cut
- Non-Stocked
- Reproduction
- Sub-Merchantable
- Pulpwood
- Chip-n-Saw
- Sawtimber
- Poles

## Category 3: Non-Forest Stands



## Structures

- Barn
- Tractor Shed
- Out Building
- Single-Family
- Multi-Family
- Camp House
- Club House
- Office Building
- Manufacturing
- Warehouse
- Chicken House
- Horse Stall
- Milking Parlor
- Hog Pen
- Blind
- Stand
- Hospital
- Nursing Home
- Dr. Clinic
- State Facility

## Structures (cont)

- Office
- Work Center
- Materials Depot
- Prison
- School
- Church
- Mosque
- Synagogue
- Other

## Property Roads/Trails

- Drive Ways
- Access Road
- Logging Road
- Skid Trail
- Farm Road
- Hiking Trail
- Horseback Riding Trail

## Boundary Lines

- Archeology
- Cemetery
- Drilling Sites
- Education
- Forest Health
- Invasive Species
- Management Compartment
- Military Area
- Natural Area
- Property
- Recreation
- Rights of Way
- SMZ
- Special Use
- Stand
- Surface Mining

## Boundary Lines (cont)

- Threatened/Endangered Species
- Visual Buffer

## Transportation (Lines)

- City Streets
- County Roads
- 3 Digit Highway
- Interstate Highway
- US Highway
- State Highway
- Natchez Trace Parkway
- Runways/Airports
- Active RR
- Abandoned RR

## Hydrology (Lines)

- Mississippi River
- Major River
- Primary Stream
- Intermittent Stream
- Canal
- Ditch
- Earthen Dam
- Concrete Dam

## Utilities (Lines)

- Large Electrical
- Local Utility
- Large Pipeline
- Small Pipeline
- Gas Line
- Utility Line
- Water Line



Stand Activity Summary for  
Amite County Schools  
16 4N 3E

**Filters Applied:** County: Amite  
Client Class: School Trust Land  
District: Southwest District  
Client: Amite County Schools  
STR: 16 4N 3E  
Activity:  
Year: 2012 Through 2021

| STR      | Strata | Stand | Activity   | Acre          | Est. Cost  | Est. Revenue |              |
|----------|--------|-------|--|---------------|------------|--------------|--------------|
| 2012     |        |       |  |               |            |              |              |
| 16 4N 3E | 6      | 5     | Harvest, Mechanical, 1st Thin, Machine, Loblolly           | 62            | \$1,240.00 | \$17,484.00  |              |
| 16 4N 3E | 6      | 12    | Harvest, Mechanical, 1st Thin, Machine, Loblolly           | 30            | \$591.00   | \$8,333.10   |              |
|          |        |       |  | Yearlv Totals | 92         | \$1,831.00   | \$25,817.10  |
| 2013     |        |       |  |               |            |              |              |
| 16 4N 3E | 3      | 2     | Harvest, Mechanical, Regeneration, Machine, Loblolly       | 7             | \$245.00   | \$5,950.00   |              |
| 16 4N 3E | 3      | 3     | Harvest, Mechanical, Regeneration, Machine, Loblolly       | 35            | \$1,225.00 | \$33,075.00  |              |
| 16 4N 3E | 3      | 4     | Harvest, Mechanical, Regeneration, Machine, Loblolly       | 13            | \$455.00   | \$2,106.00   |              |
| 16 4N 3E | 3      | 6     | Harvest, Mechanical, Regeneration, Machine, Loblolly       | 3             | \$113.05   | \$9,671.59   |              |
| 16 4N 3E | 3      | 10    | Harvest, Mechanical, Regeneration, Machine, Loblolly       | 22            | \$770.00   | \$18,194.00  |              |
| 16 4N 3E | 3      | 17    | Harvest, Mechanical, Regeneration, Machine, Loblolly       | 43            | \$1,505.00 | \$128,754.90 |              |
| 16 4N 3E | 3      | 19    | Harvest, Mechanical, Regeneration, Machine, Loblolly       | 8             | \$267.05   | \$22,846.51  |              |
|          |        |       |  | Yearlv Totals | 131        | \$4,580.10   | \$220,598.00 |
| 2014     |        |       |  |               |            |              |              |
| 16 4N 3E | 3      | 2     | Regeneration, Artificial, Plant, Hand, Loblolly            | 7             | \$717.00   | \$0.00       |              |
| 16 4N 3E | 3      | 2     | Site Preparation, Chemical, Broadcast, Aerial, Combination | 7             | \$717.00   | \$0.00       |              |
| 16 4N 3E | 3      | 3     | Regeneration, Artificial, Plant, Hand, Loblolly            | 35            | \$3,524.00 | \$0.00       |              |
| 16 4N 3E | 3      | 3     | Site Preparation, Chemical, Broadcast, Hand, Combination   | 35            | \$3,524.00 | \$0.00       |              |
| 16 4N 3E | 3      | 4     | Site Preparation, Chemical, Broadcast, Aerial, Combination | 13            | \$1,300.00 | \$0.00       |              |

| STR      | Strata | Stand | Activity   | Acre | Est.<br>Cost | Est.<br>Revenue |
|----------|--------|-------|--|------|--------------|-----------------|
| 16 4N 3E | 3      | 4     | Regeneration, Artificial, Plant, Hand, Loblolly            | 13   | \$1,300.00   | \$0.00          |
| 16 4N 3E | 3      | 6     | Regeneration, Artificial, Plant, Hand, Loblolly            | 3    | \$323.00     | \$0.00          |
| 16 4N 3E | 3      | 6     | Site Preparation, Chemical, Broadcast, Aerial, Combination | 3    | \$323.00     | \$0.00          |
| 16 4N 3E | 3      | 10    | Regeneration, Artificial, Plant, Hand, Loblolly            | 22   | \$2,200.00   | \$0.00          |
| 16 4N 3E | 3      | 10    | Site Preparation, Chemical, Broadcast, Hand, Combination   | 22   | \$2,200.00   | \$0.00          |
| 16 4N 3E | 3      | 17    | Regeneration, Artificial, Plant, Hand, Loblolly            | 43   | \$4,300.00   | \$0.00          |
| 16 4N 3E | 3      | 17    | Site Preparation, Chemical, Broadcast, Aerial, Combination | 43   | \$4,300.00   | \$0.00          |
| 16 4N 3E | 3      | 19    | Regeneration, Artificial, Plant, Hand, Loblolly            | 8    | \$763.00     | \$0.00          |
| 16 4N 3E | 3      | 19    | Site Preparation, Chemical, Broadcast, Aerial, Combination | 8    | \$763.00     | \$0.00          |

|  |  |  |  |               |     |             |        |
|--|--|--|--|---------------|-----|-------------|--------|
|  |  |  |  | Yearly Totals | 263 | \$26,254.00 | \$0.00 |
|--|--|--|--|---------------|-----|-------------|--------|

## 2015

|          |   |    |  |    |          |             |
|----------|---|----|--|----|----------|-------------|
| 16 4N 3E | 5 | 7  | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 24 | \$840.00 | \$6,480.00  |
| 16 4N 3E | 5 | 21 | Harvest, Mechanical, Thin, Machine, Loblolly         | 3  | \$60.00  | \$1,157.40  |
| 16 4N 3E | 5 | 22 | Harvest, Mechanical, Thin, Machine, Loblolly         | 5  | \$100.00 | \$1,929.00  |
| 16 4N 3E | 8 | 11 | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 3  | \$88.20  | \$710.64    |
| 16 4N 3E | 8 | 13 | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 3  | \$121.10 | \$975.72    |
| 16 4N 3E | 8 | 14 | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 7  | \$241.50 | \$1,945.80  |
| 16 4N 3E | 8 | 15 | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 10 | \$350.00 | \$2,820.00  |
| 16 4N 3E | 8 | 16 | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 2  | \$81.90  | \$659.88    |
| 16 4N 3E | 8 | 20 | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 4  | \$130.20 | \$1,049.04  |
| 16 4N 3E | 8 | 30 | Harvest, Mechanical, 1st Thin, Machine, Loblolly     | 3  | \$113.40 | \$913.68    |
| 16 4N 3E | 9 | 29 | Harvest, Mechanical, Regeneration, Machine, Loblolly | 8  | \$279.30 | \$23,894.51 |
| 16 4N 3E | 9 | 32 | Harvest, Mechanical, Regeneration, Machine, Loblolly | 12 | \$420.00 | \$35,931.60 |

| STR      | Strata | Stand | Activity   | Acre          | Est. Cost  | Est. Revenue |              |
|----------|--------|-------|--|---------------|------------|--------------|--------------|
| 16 4N 3E | 9      | 35    | Harvest, Mechanical, Regeneration, Machine, Loblolly | 71            | \$2,485.00 | \$120,939.98 |              |
|          |        |       |  | Yearly Totals | 155        | \$5,310.60   | \$199,407.25 |

## 2016

|          |   |    |  |               |            |             |        |
|----------|---|----|--|---------------|------------|-------------|--------|
| 16 4N 3E | 9 | 29 | Site Preparation, Chemical, Broadcast, Aerial, Combination | 8             | \$798.00   | \$0.00      |        |
| 16 4N 3E | 9 | 29 | Regeneration, Artificial, Plant, Hand, Loblolly            | 8             | \$798.00   | \$0.00      |        |
| 16 4N 3E | 9 | 32 | Site Preparation, Chemical, Broadcast, Aerial, Combination | 12            | \$1,200.00 | \$0.00      |        |
| 16 4N 3E | 9 | 32 | Regeneration, Artificial, Plant, Hand, Loblolly            | 12            | \$1,200.00 | \$0.00      |        |
| 16 4N 3E | 9 | 35 | Site Preparation, Chemical, Broadcast, Aerial, Combination | 71            | \$7,100.00 | \$0.00      |        |
| 16 4N 3E | 9 | 35 | Regeneration, Artificial, Plant, Hand, Loblolly            | 71            | \$7,100.00 | \$0.00      |        |
|          |   |    |  | Yearly Totals | 182        | \$18,196.00 | \$0.00 |

## 2019

|          |   |    |  |               |            |              |              |
|----------|---|----|--|---------------|------------|--------------|--------------|
| 16 4N 3E | 4 | 24 | Harvest, Mechanical, Regeneration, Machine, Loblolly | 30            | \$1,035.30 | \$59,735.63  |              |
| 16 4N 3E | 4 | 25 | Harvest, Mechanical, Regeneration, Machine, Loblolly | 5             | \$178.85   | \$10,319.44  |              |
| 16 4N 3E | 4 | 26 | Harvest, Mechanical, Regeneration, Machine, Loblolly | 54            | \$1,887.20 | \$108,889.28 |              |
| 16 4N 3E | 4 | 27 | Harvest, Mechanical, Regeneration, Machine, Loblolly | 7             | \$245.00   | \$14,136.22  |              |
| 16 4N 3E | 4 | 28 | Harvest, Mechanical, Regeneration, Machine, Loblolly | 2             | \$71.75    | \$4,139.89   |              |
| 16 4N 3E | 6 | 5  | Harvest, Mechanical, 2nd Thin, Machine, Loblolly     | 62            | \$2,170.00 | \$20,878.50  |              |
| 16 4N 3E | 6 | 12 | Harvest, Mechanical, 2nd Thin, Machine, Loblolly     | 30            | \$1,034.25 | \$9,950.96   |              |
|          |   |    |  | Yearly Totals | 189        | \$6,622.35   | \$228,049.93 |

## 2020

|          |   |    |  |    |            |        |
|----------|---|----|--|----|------------|--------|
| 16 4N 3E | 4 | 24 | Regeneration, Artificial, Plant, Hand, Loblolly      | 30 | \$2,958.00 | \$0.00 |
| 16 4N 3E | 4 | 24 | Site Preparation, Chemical, Broadcast, Aerial, Woody | 30 | \$2,958.00 | \$0.00 |
| 16 4N 3E | 4 | 25 | Regeneration, Artificial, Plant, Hand, Loblolly      | 5  | \$511.00   | \$0.00 |
| 16 4N 3E | 4 | 25 | Site Preparation, Chemical, Broadcast, Aerial, Woody | 5  | \$511.00   | \$0.00 |

| STR      | Strata | Stand | Activity   | Acre          | Est.<br>Cost | Est.<br>Revenue |              |
|----------|--------|-------|--|---------------|--------------|-----------------|--------------|
| 16 4N 3E | 4      | 26    | Regeneration, Artificial, Plant, Hand, Loblolly      | 54            | \$5,392.00   | \$0.00          |              |
| 16 4N 3E | 4      | 26    | Site Preparation, Chemical, Broadcast, Aerial, Woody | 54            | \$5,400.00   | \$0.00          |              |
| 16 4N 3E | 4      | 27    | Regeneration, Artificial, Plant, Hand, Loblolly      | 7             | \$726.00     | \$0.00          |              |
| 16 4N 3E | 4      | 27    | Site Preparation, Chemical, Broadcast, Aerial, Woody | 7             | \$726.00     | \$0.00          |              |
| 16 4N 3E | 4      | 28    | Regeneration, Artificial, Plant, Hand, Loblolly      | 2             | \$205.00     | \$0.00          |              |
| 16 4N 3E | 4      | 28    | Site Preparation, Chemical, Broadcast, Aerial, Woody | 2             | \$205.00     | \$0.00          |              |
|          |        |       |  | Yearly Totals | 196          | \$19,592.00     | \$0.00       |
|          |        |       |  | Grand Totals  | 1,207        | \$82,386.05     | \$673,872.28 |